
INDEX

A

ac components, 85
active RC filters, 164
actual passband edge, 251, 399
adaptive systems, 51
addition of two sequences element by element, 111, 118
additive operator, 67
additivity, 49, 65, 89, 104, 111, 118
adjoint network, 234
algorithm, 279, 470
aliasing, 99
all-pole transfer function, 77, 250
allpass filter, 141, 330
 high- Q -factor, 184
 low- Q -factor, 170
 medium- Q -factor, 176
allpass transfer function, 151, 344
allpass-type realization, 349
amplitude, 65
amplitude equalizer, 142, 152
amplitude response, 436
amplitude sensitivity function, 436
amplitude spectrum, 86, 89
analog filter design, 139, 301
analog lowpass filter, 140
analog signal, 2
analysis by transform method, 122
 of analog LTI circuits, 122
 of CTLTI, 122
 of DTLTI, 122
analysis of a system, 43

angular digital frequency, 328
angular frequency, 65
anti-aliasing filter, 13
anti-causal sequence, 20
aperiodic signal, 8
approximation, 139, 249, 397
approximation function, 249, 397
approximation step, 140, 242, 329, 390
asymptotically stable system, 47, 70
attenuation, 76, 141, 244, 280, 329, 392, 471
attenuation approximation function, 141, 329
attenuation characteristic, 76
attenuation limits, 393
attenuation tolerance scheme, 437
attenuation-limit specification, 281, 472
autocorrelation function, 92, 101
average power of periodic signal, 101
average power over a period, 85

B

band-limited signal, 99
bandpass filter, 141, 242, 298, 330, 490
 high- Q -factor, 182
 low- Q -factor, 167
 medium- Q -factor, 173
bandpass transfer function, 146, 339
bandreject, 141
bandreject filter, 299, 330, 492
 high- Q -factor, 183
 low- Q -factor, 168
 medium- Q -factor, 175
bandreject transfer function, 147, 340

bandstop filter, 141, 242, 330
bandstop transfer function, 340
bandwidth, 3-dB, 147, 148
base-band spectrum, 91
Bessel approximation, 250
bilateral z transform, 117
bilinear transformation, 472, 477
biquad, 78, 107, 122, 143, 331
biquadratic section, 78, 107, 122
black box system, 41
blind equalization, 51
block, 44
block diagram, 44
bounded inputs, 47
bounded stability, 47
bump filter, 142, 152
Butterworth approximation, 249, 301, 397

C

canonic realization, 364
carrier, 91
cascade approach, 143
cascade connection, 45
cascade filters, 364
cascade realization, 349
Cauer approximation, 250, 398
causal sequence, 20
causal signal, 16, 94
causal system, 47, 97
CC active RC realization, 233
characteristic equation, 52, 56, 69
characteristic function, 244, 281, 287, 392, 479
characteristic-function-limit specification, 281, 472
characteristic-function limits, 397
characteristic polynomial, 52, 56
Chebyshev approximation, 249, 301, 397
Chebyshev type I approximation, 249, 397
Chebyshev type II approximation, 250, 398
closed-loop system, 42
comb signal, 87, 98
complementary modulus, 504
complete elliptic integral, 281, 472, 504
complete response, 69
complex analytic signal, 429
complex Fourier series, 84
complex frequency, 69
complex frequency variable, 103
complex response, 132

computation of Fourier integrals by DFT, 114
computation of Fourier series by DFT, 113
consistent initial condition, 73
constant steady state response, 75
continuous frequency variable, 88
continuous function, 2
continuous impulse, 27
continuous signal, 2
continuous step signal, 30
continuous time signal, 2
continuous-time system, 42
continuous variable, 2
control action, 42
control system, 43
controllable system, 47
convolution, 90, 104, 119
convolution in frequency domain, 91
convolution integral, 54
convolution sum, 57
cost function, 494
criteria of optimality, 51
critical frequencies, 449
crystal filters, 164
current conveyor, 230
current gain, 231
cyclic autocorrelation of periodic sequence, 113
cyclic convolution, 112
cyclic correlation of periodic sequences, 112

D

Darlington approximation, 250, 398
data sequence, 7, 18
dc component, 85
dead band effect, 358
decibels, 76
decomposition of transfer functions, 152
degree equation, 528, 560
delay characteristic, 76
delay time, 54
Deliyannis filter, 168
design, 242, 390
 algorithms, 279, 470
 alternatives, 254
 by analysis, 43
 by synthesis, 43
design D1, 254, 258, 260, 266, 291, 403, 407, 408, 414, 484
design D2, 255, 259, 260, 266, 292, 403, 407, 409, 414, 485

design D3a, 256, 259, 261, 266, 293, 404, 407, 409, 414, 486
 design D3b, 256, 259, 266, 293, 404, 408, 409, 414, 486
 design D4a, 257, 259, 261, 266, 294, 405, 408, 409, 414, 487
 design D4b, 257, 260, 261, 266, 295, 405, 408, 410, 414, 488
 design D5, 260, 262, 266, 268, 295, 488
 design D5a, 263
 design of a system, 43
 design parameters, 252, 400
 design space, 250, 253, 402
 design subspaces, 254
 deterministic signal, 8
 difference function, 506
 differencing property, 65
 differential operator, 52
 differentiating property, 65, 67, 68, 104
 differentiation property of Fourier transform, 90
 digital angular frequency, 117, 391
 digital filter, 322, 390
 digital filter design, 327
 digital frequency, 117, 328, 391, 471
 digital lowpass filter, 329
 digital lowpass specification, 329
 digital signal, 2
 digital system, 42
 Dirac delta, 27
 Dirac delta signal, 15
 direct canonic filter, 364
 direct form I digital filter, 364, 365
 direct form II digital filter, 364, 365
 Dirichlet's conditions, 83
 discrete Fourier transform, 108
 discrete Fourier transform pair, 109
 discrete signal, 3
 discrete spectra, 87
 discrete-time linear time-invariant system, 391
 discrete-time signal, 3
 discrete-time system, 42, 322
 discrimination factor, 251, 281, 287, 399, 472, 479, 563, 606
 distributions, 94
 double filtered sequence, 456
 double filtering technique, 455
 doubly terminated ladder filter, 215
 doubly terminated *RLC* filter, 207

DSP system, 322
 dynamic range, 153, 347
 dynamical equation, 46

E

edge frequencies, 289, 483
 electrical filter, 241
 electromechanical filters, 164
 elementary function, 71
 elliptic approximation, 250, 251, 398, 399
 elliptic function approximation, 250, 398
 elliptic integral, 504
 elliptic rational function, 251, 281, 287, 399, 472, 479, 522, 569
 elliptic theta functions, 509
 EMQF transfer function, 434
 energy per unit bandwidth, 92
 energy spectral density, 92
 energy spectrum, 92
 even part of a real signal, 93
 excitation, 1, 40, 69
 existence condition of Fourier transform, 89
 exponential Fourier series, 84
 exponentially modulated sinusoidal signal, 16

F

fast Fourier transform, 110
 feedback, 43
 feedback connection, 45
 filter, 241, 389
 filter design, 279, 470
 filter design algorithm, 279, 470
 filter order, 252, 400
 filters based on structural passivity, 364
 finite-length sequence, 20
 first-order section, 77, 107, 121
 first-order transfer function, 77, 107, 121
 fixed system, 48
 flow-graph reversal rules, 367
 folding frequency, 12
 forced response, 53, 57
 Fourier coefficients, 83
 Fourier series, 83
 Fourier transform, 88
 Fourier transform method, 95
 Fourier transform of periodic signal, 100
 Fourier transform pair, 88, 94
 Fourier transformation, 89

free response, 56
 free response of an LTI system, 53
 frequency characteristic, 76
 frequency convolution, 90
 frequency folding, 99
 frequency of sinusoid, 65
 frequency response, 76, 117, 243, 297, 391
 frequency scaling, 90
 frequency shifting, 90
 frequency, 3-dB, 143, 333
 fundamental angular frequency, 83, 85
 fundamental component, 85

G

gain, 76, 244, 392
 gain distribution, 154, 347
 gain limits, 393
 gain-limit specification, 281, 472
 gain-sensitivity product, 163
 general-purpose biquad, 187
 generalization of phasor method, 102
 generalized functions, 94
 Gibbs phenomenon, 85
 group delay, 76, 282, 473
 GSP, 163

H

half-band filter, 415
 harmonic analysis, 84
 harmonic angular frequency, 85
 harmonics signal, 8
 highpass filter, 141, 242, 297, 330, 490
 high- Q -factor, 181
 low- Q -factor, 166
 medium- Q -factor, 173
 highpass-notch filter, 142, 330
 high- Q -factor, 186
 medium- Q -factor, 179
 highpass-notch transfer function, 149, 343
 highpass transfer function, 145, 335
 Hilbert transform pair, 95, 97
 Hilbert transformer, 428
 homogeneity, 49, 65, 89, 104, 111, 118
 homogeneous, 67
 hybrid-time system, 42

I

ideal impulse sampler, 98
 ideal lowpass filter, 99

ideal magnitude response, 304, 497
 identity element for convolution, 91, 104
 identity system, 49
 image, 64, 89, 103
 imaginary quarterperiod, 504
 implementation, 139, 390
 implementation step, 141, 242, 330
 impulse response, 97, 297
 inband loss, 153
 inconsistent initial condition, 73
 incrementally linear system, 49
 initial condition response, 56
 initially relaxed system, 46
 input, 40
 input-output relationship, 41
 input-output stability, 47
 instantaneous system, 49
 interreciprocal networks, 234
 inverse Chebyshev approximation, 250, 398
 inverse discrete Fourier transform, 109
 inverse Fourier transform, 88
 inverse Fourier transformation, 89
 inverse Jacobi elliptic function, 280
 inverse Laplace transform, 103, 281
 inverse Laplace transform of rational function, 105
 inverse Laplace transformation, 103
 inverse phasor transformation, 66
 inverse system, 51
 inverse z transform, 117, 130
 invertible system, 51

J

Jacobi elliptic function, 280, 281, 471, 506
 $j\omega$ method, 82

K

KCL, 131
 KHN filter, 187
 Kirchoff current law, 131

L

ladder filters, 364
 Laplace transform pair, 103, 105
 Laplace transformation, 103
 limit-cycle effects, 358
 line spectra, 87
 linear phase, 305, 312, 455, 497
 linear system, 48

linear time-invariant system, 51, 243
 linearity, 111, 118
 loss, 76
 loss characteristic, 76, 244, 392
 loss function, 244, 392
 lossless *LC* filter, 208
 low-*Q*-factor filter, 165
 lowpass elliptic transfer function, 481
 lowpass filter, 141, 242, 330, 390
 high-*Q*-factor, 180
 low-*Q*-factor, 165
 medium-*Q*-factor, 171
 lowpass-notch filter, 142, 330
 high-*Q*-factor, 185
 medium-*Q*-factor, 177
 lowpass-notch transfer function, 149, 343
 lowpass specification, 140
 lowpass transfer function, 144, 333
 lumped system, 42

M

magnitude limits, 393
 magnitude response, 76, 97, 243, 304, 391, 497
 magnitude ripple tolerances, 393
 magnitude tolerances, 393
 magnitude-limit specification, 281, 472
 magnitude-ripple specification, 281, 472
 magnitude-tolerance specification, 281, 472
Mathematica, 2, 25, 31, 39, 62, 137, 239, 277, 318, 362, 386, 468, 495, 567, 631
 mathematical amplitude spectrum, 87
 mathematical model, 43
 mathematical power spectrum, 87
 MATLAB, 2, 20, 23, 38, 62, 137, 238, 276, 319, 320, 385, 467, 495, 567, 630
 matrix form of DFT/IDFT, 110
 maximal order, 252
 maximum passband attenuation, 140
 mean value, 9
 medium-*Q*-factor filter, 171
 memoryless system, 49
 microwave filters, 164
 minimal order, 252
 minimal *Q*-factor design, 268, 295, 475, 488, 564, 625
 minimum stopband attenuation, 140
 model, 43
 modular constant, 509
 modulating in amplitude signal, 91

modulating signal, 91
 modulus of elliptic function, 280, 472, 504
 Monte Carlo method, 156
 multicriteria digital filter optimization, 494
 multicriteria optimization, 301
 multiplication of a sequence by a constant, 111, 118
 multiplier model for product quantization, 130
 multiplierless filter, 434
 multirate DSP systems, 323
 multivariable system, 41

N

natural frequency, 70
 natural spectra, 86
 nesting property, 518, 534, 570
 network functions, 132
 noise, 8
 sequence due to product quantization, 131
 transfer function, 128, 129, 131, 359
 nominal characteristics, 49
 nominal values, 49
 nonanticipative system, 47
 nondeterministic signal, 8
 nonlinear system, 48
 nonrecursive system, 52
 nonsinusoidal periodic signals, 82
 normalized lowpass elliptic transfer function, 288
 normalized transfer function, 143, 333
 Nyquist frequency, 12

O

objective function, 301, 304, 497
 objective measure, 304
 observable system, 46
 odd part of a real signal, 93
 one-sided *z* transform, 117
 op amp active RC filters, 164
 open left-half plane, 70
 open-loop system, 42
 optimal cascading sequence, 154, 347
 optimal systems, 50
 optimization, multicriteria, 301
 order of the system, 51
 original, 89, 103
 original function, 64
 OTA filters, 139, 163, 164, 223

OTA-C filters, 223
 OTA-R-C filters, 223
 output, 40
 overflow, 357
 overflow oscillations, 358
 overshoot, 54

P

pairing, pole-zero, 153
 pairs of Fourier transform, 94
 pairs of Laplace transform, 105
 pairs of z transform, 120
 parallel connection, 45
 parallel filter, 364
 parallel-of-two-allpass filters, 364
 Parseval's formula, 92
 Parseval's identity, 84, 112
 Parseval's theorem, 84, 92
 partial sum of the Fourier series, 83
 partial transfer function, 78, 107, 122
 passband, 139, 242, 327, 390
 passband attenuation, 329
 passband edge frequency, 140, 280, 329
 passband magnitude ripple, 281
 passband magnitude tolerance, 281
 passive RLC filters, 164, 207
 peak overshoot, 308, 310
 performance index, 50
 performance specifications, 50
 periodic signal, 8, 101
 phase, 65
 phase difference function, 436
 phase equalizer, 141, 330
 phase response, 76, 97, 243, 391
 phase-shifter, 90-degree, 428
 phase spectrum, 89
 phase spectrum of a periodic signal, 86
 phase splitter, 431
 phasor, 66
 phasor method, 67, 79
 phasor transform, 66
 phasor transformation, 65, 66
 physically realizable system, 47
 piecewise continuous signal, 83
 Poisson's summation formula, 98
 Poisson's theorem, 98
 pole magnitude, 77, 142
 pole-zero pairing, 153, 347
 pole-zero representation, 77, 107, 121

poles of transfer function, 76, 106, 121
 polynomial differential operator, 52
 polynomial shifting operator, 55
 power spectral density, 112
 of periodic signal, 101
 power spectrum, 86
 of periodic signal, 101
 of sequence, 112
 principle of superposition, 48
 product quantization, 359
 production yield, 155
 proper rational function, 105
 properties of DFT, 110
 properties of Fourier transform, 89
 properties of Fourier transform of real signal, 92
 properties of Laplace transform of real signal, 103
 properties of transformation, 65
 prototype elliptic approximation, 251, 399
 pulse function, 14
 pulse signal, 14

Q

Q -factor, 77, 142, 222, 306, 331, 478, 499, 564, 625
 Q -factor, minimal value of, 77
 quality factor, 77, 222, 496, 499
 quantization, 7
 quantization error, 358
 quantization noise, 8
 quantized samples, 5

R

radian frequency, 13
 ramp sequence, 19
 ramp signal, 14
 random signal, 8
 rational function, 569
 real quarterperiod, 504
 real signal, 93
 real-valued exponential sequence, 18
 real-valued exponential signal, 13
 realization, 139, 141
 realization step, 141, 242, 329, 390
 recursive systems, 51
 reference frequency, 143
 reflectance amplitude function, 437
 region of convergence, 103, 117

relative bandwidth, 147
 relative sensitivity, 155
 relative variation, 156
 relaxed system, 46, 48
 resonant angular frequency, 147
 resonant frequency, 339
 response, 1, 40
 Riemann's theorem, 84
 ripple factor, 251, 281, 289, 399, 473, 483, 545, 608
 rise time, 54
 rms value, 85
 ROC, 117
 root-mean-square value, 85

S

Sallen-Key filter, 165, 166, 171, 173
 Sallen-Key lowpass filter, 235
 sample interval, 4
 sample set, 7, 18
 sampled signal, 98
 sampling frequency, 4, 99, 109, 322
 sampling rate, 4, 109, 322
 sampling theorem, 9, 12, 99
 saturation arithmetics, 357
 sawtooth periodic signal, 17
 SC universal filter, 267
 scale factor, 77, 107, 121
 Schoeffler criterion, 50, 156
 second-order section, 471
 second-order transfer function, 78, 107, 122, 143, 331
 sectionally continuous signal, 83
 selectivity factor, 141, 251, 281, 289, 329, 399, 473, 483, 521, 575
 semirelative sensitivity, 50, 157
 sensitivity, 153
 sensitivity of a system, 49
 sequence, 5, 18
 sequential quadratic programming problem, 301, 494
 settling time, 54
 shift-invariant, 48
 shifting a periodic sequence, 111
 shifting a sequence in z domain, 119
 shifting operator, 55
 side-band, 91
 sifting property, 16
 signal, 1, 2

signal processing, 1
 signal-to-noise ratio, 153
 Signals and Systems Pack, 25
 single-parameter sensitivity, 349
 single-parameter relative sensitivity, 50
 single-variable system, 41
 sinusoidal sequence, 18
 sinusoidal signal, 13, 65
 sinusoidal steady-state response, 74
 sinusoidally modulated sinusoidal signal, 16
 specification, 139, 282, 327, 473
 spectral analysis, 84
 spectrum of the sampled signal, 98
 SQP, 301
 stable system, 47
 state, 46
 stationary system, 48
 steady-state from a nonsinusoidal periodic input, 88
 steady-state response, 53, 57, 75
 steady-state sinusoidal response by Fourier method, 102
 step response, 297
 stochastic signal, 8
 stopband, 139, 242, 327, 390
 stopband attenuation, 329
 stopband edge frequency, 140, 280, 329
 stopband magnitude ripple, 281
 stopband magnitude tolerance, 281
 study of imperfections, 139, 141, 242, 329, 390
 summed sensitivity, 160
 summing point, 44
 superposition, 48
 switched capacitor biquad,
 mode 1, 199, 268
 mode 2, 199
 mode 3, 199
 mode 4, 200
 mode 5, 200
 mode 6, 201
 mode 7, 201
 switched capacitor universal filter, 267
 switched-capacitor filters, 139, 141, 163, 164, 189, 199, 201, 203
 symmetrical bandpass filter, 299, 492
 symmetrical bandreject filter, 300, 493
 symmetry, 90
 system, 40, 41
 system function, 106, 117, 121

T

takeoff point, 44
time, 1, 23, 41
time convolution, 90
time-invariant system, 48
time-limited signal, 91
time response, 42, 297
time scaling, 90
time shifting, 90
time step, 4
time-value pairs, 23
time-varying system, 48
total energy of a nonperiodic signal, 92
total harmonic distortion, 460
total response, 53, 57
train of Dirac delta impulses, 98
transconductance, 223
transfer function, 76, 96, 106, 117, 121, 244, 280, 392
 matrix, 78, 108, 122
 poles, 286, 478
 Q-factor, 286, 478
 zeros, 286, 478
transfer function order, 252, 284, 400, 475
transform, 64, 102
transformation, 65
transient response, 53, 57
transition region, 242, 390
transitional approximations, 250
transposed realization, 367
transposition, 367
trigonometric Fourier series, 83
truncated Fourier series, 83
truncation noise, 460
two-pass filtering, 455
two's complement overflow, 357
two-port adaptors, 373
two-port reciprocity, 233
two-sided z transform, 117

U

unilateral Laplace transform, 103
unilateral z transform, 117
uniqueness, 65, 66, 111
 of Fourier transform, 89
 of Laplace transform, 103
 of z transform, 118

unit delay operator, 119
unit impulse response, 54, 57
unit impulse sequence, 19
unit impulse signal, 15
unit periodic square pulse train, 86
unit ramp response, 54
unit ramp sequence, 19
unit ramp signal, 15
unit singularity function, 27
unit step response, 54, 57
unit step sequence, 19
unit step signal, 14
unstable system, 71
unwrapped phase response, 303

V

variability, 155
variance of the signal, 9
variation of a function, 50

W

wave digital filters, 364
waveform, 1
weight of the impulse, 27
Wiener-Kintchine theorem, 92
 for periodic signals, 101
worst-case, 156
worst-case method, 350
worst-case variation, 50

Z

z transform, 117
 z transform pairs, 120
zero-input response, 53, 57, 69
zero-input sinusoidal steady-state response, 71
zero-input steady-state response, 71
zero magnitude, 77
zero-memory system, 49
zero Q-factor, 77
zero shifting technique, 215
zero-state response, 53, 57, 71
zero-state response by Fourier method, 101
zeros of transfer function, 77, 106, 121
 z transform pair, 118